

Ti-Black **Tiger** SERIES

BACKCONTACT
TECHNOLOGY

**UNLEASH THE POWER
OF THE BLACK TIGER:**

EXTREME EFFICIENCY,
FLAWLESS BLACK AESTHETICS

WORLD'S 1st
EFFICIENCY


RECOM
TECHNOLOGIES®



UNLEASH THE POWER OF THE BLACK TIGER:
EXTREME EFFICIENCY,
FLAWLESS BLACK AESTHETICS

BACKCONTACT TECHNOLOGY

From 440Wp & up to 700Wp



World's 1st
Efficiency

ADVANTAGES OF BLACK TIGER BACKCONTACT MODULES

Black Tiger modules provide numerous benefits to customers seeking a high-quality product with exceptional performance and aesthetic, captivating design.

The “Black Tiger” module utilizes N-Type cell technology in conjunction with a rear connection method known as BackContact. As a result, there is 0% front grid shadow loss, which increases the PV module yield. Due to reduced shading on the front of the cell, the module maximizes total cell area realizing higher efficiency and resulting in a fast return on investment.



Guaranteed mechanical
resistance to severe
weather conditions



Positive
tolerance



100% electro-
luminescence tested



★ KEY BENEFITS

	Light Induced Degradation Close to Zero		25 Years Product Warranty		0% Front Grid Shading Loss
	Low Pmax Temperature Coefficient		Low LCOE		Higher Yield in Hot Climate

★ PERFORMANCE AT HIGH TEMPERATURES


	HIGHER OUTPUT IN HOT CLIMATE	+2,40%	Specific yield (kWh/kWp) due to low temperature coefficient
	MORE EFFICIENT SPACE UTILIZATION	- 10,00%	Space required for 1MWp of Black Tiger modules
	HIGHER GENERATION PER UNIT	+ 2,47%	PV plant yield/sq.m in hot climate
	LOWER POWER LOSS	+ 4,40%	PV plant yield in 30 years of using

HIGHEST EFFICIENCY IN THE WORLD

Black Tiger Series has “World’s 1st” module efficiency, as it reaches up to 24.5%.

BENEFITS OF BACKCONTACT TECHNOLOGY

- No grid lines, pure black with cutting-edge all back contact cells
- +13.4% full life-cycle power generation than the traditional P-type modules
- >5% BOS reduction, significant saving on cables and mounting systems
- 100% silver-free, reliable supply than the other N-type modules



First Year Output	≥ 99.0%	2-30 Year Decline	≤ 0.35%	30 Year Output	≥ 88,85%
-------------------	---------	-------------------	---------	----------------	----------

★
**LEADING MODULE
EFFICIENCY 24.5%**



WWW.RECOM-TECH.COM

SOLAR ASSOCIATION MEMBERSHIPS



SolarPower
Europe
Member